Segment ID: 1253 **Water body name:** Navasota River Below Lake Mexia

Freshv	water Stream	Brazos Riv	ver Basin Total siz	e:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life U	Use						
2002	Dissolved Oxygen grab average	Use Concern	From FM 1245 to Springfield Lake Dam	5	24	5	
2002	Dissolved Oxygen grab average	Not Assessed	From FM 1633 to upper end of segment	3	8	4	
2002	Dissolved Oxygen grab average	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	2	
2002	Dissolved Oxygen grab average	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	1	
2002	Dissolved Oxygen grab average	No Concern	Lower 7 miles of segment to FM 1245	7	45	3	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	2	
2002	Dissolved Oxygen grab minimum	Use Concern-Limited Data	From FM 1633 to upper end of segment	3	8	3	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Dissolved Oxygen grab minimum	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Lower 7 miles of segment to FM 1245	7	45	1	
2002	Dissolved Oxygen 24hr average	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	2	0	
2002	Dissolved Oxygen 24hr average	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	2	0	
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		

Freshy	water Stream	Brazos Riv	ver Basin Total si	ze:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life U	Use (continued)						
2002	Acute Organics in water	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2002	Chronic Organics in water	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2002	Overall Aquatic Life Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Aquatic Life Use	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Aquatic Life Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Aquatic Life Use	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Aquatic Life Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			
Contact Recre	eation Use						
2002	E. coli single sample	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	E. coli single sample	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	E. coli single sample	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	0		
2002	E. coli single sample	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	E. coli single sample	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	E. coli geometric mean	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	E. coli geometric mean	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	E. coli geometric mean	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	0		
2002	E. coli geometric mean	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	E. coli geometric mean	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	Fecal coliform single sample	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	20	2	

Freshv	water Stream	Brazos Riv	ver Basin Total siz	ze:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Contact Recre	eation Use (continued)						
2002	Fecal coliform single sample	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9	2	
2002	Fecal coliform single sample	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Fecal coliform single sample	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	1	
2002	Fecal coliform single sample	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43	9	
2002	Fecal coliform geometric mean	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	20		38
2002	Fecal coliform geometric mean	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9		71
2002	Fecal coliform geometric mean	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11		22
2002	Fecal coliform geometric mean	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7		82
2002	Fecal coliform geometric mean	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43		122
2002	Overall Recreation Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Recreation Use	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Recreation Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Recreation Use	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Recreation Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			
General Use							
2002	Water Temperature	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Water Temperature	No Concern-Limited Data	From FM 1633 to upper end of segment	3	8	0	
2002	Water Temperature	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	

Segment ID: 1253 **Water body name:** Navasota River Below Lake Mexia

Freshv	vater Stream	Brazos Riv	ver Basin Total	size:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use	(continued)						
2002	Water Temperature	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Water Temperature	Fully Supporting	Lower 7 miles of segment to FM 1245	7	45	0	
2002	рН	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	pH	No Concern-Limited Data	From FM 1633 to upper end of segment	3	8	0	
2002	pH	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	pH	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	рН	Fully Supporting	Lower 7 miles of segment to FM 1245	7	46	0	
2002	Chloride	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	92		54.98
2002	Chloride	Fully Supporting	From FM 1633 to upper end of segment	3	92		54.98
2002	Chloride	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	92		54.98
2002	Chloride	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	92		54.98
2002	Chloride	Fully Supporting	Lower 7 miles of segment to FM 1245	7	92		54.98
2002	Sulfate	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	92		34.65
2002	Sulfate	Fully Supporting	From FM 1633 to upper end of segment	3	92		34.65
2002	Sulfate	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	92		34.65
2002	Sulfate	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	92		34.65
2002	Sulfate	Fully Supporting	Lower 7 miles of segment to FM 1245	7	92		34.65
2002	Total Dissolved Solids	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	101		327.8
2002	Total Dissolved Solids	Fully Supporting	From FM 1633 to upper end of segment	3	101		327.8

Freshv	vater Stream	Brazos Riv	ver Basin Total siz	e:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use	(continued)						
2002	Total Dissolved Solids	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	101		327.8
2002	Total Dissolved Solids	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	101		327.8
2002	Total Dissolved Solids	Fully Supporting	Lower 7 miles of segment to FM 1245	7	101		327.8
2002	Overall General Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall General Use	Fully Supporting	From FM 1633 to upper end of segment	3			
2002	Overall General Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall General Use	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2002	Overall General Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			
Fish Consump	tion Use						
2002	Human Health Criteria Organics	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2002	Overall Fish Consumption Use	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Fish Consumption Use	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Fish Consumption Use	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Fish Consumption Use	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Fish Consumption Use	Not Assessed	Lower 7 miles of segment to FM 1245	7			
Public Water S	Supply Use						
2002	Finished Water: Running Avg	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Running Avg	Fully Supporting	From FM 1633 to upper end of segment	3			
2002	Finished Water: Running Avg	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Running Avg	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			

Segment ID: 1253 Water body name: Navasota River Below Lake Mexia

Freshy	vater Stream	Brazos Riv	ver Basin Total siz	e:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water S	Supply Use (continued)						
2002	Finished Water: Running Avg	Fully Supporting	Lower 7 miles of segment to FM 1245	7			
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24		0.35
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9		0.16
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11		0.11
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7		0.1
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43		0.38
2002	Surface Water: Long-term average Organics	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43	0	
2002	Surface Water: Running average Organics	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1	0	
2002	Overall Public Water Supply Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Public Water Supply Use	Fully Supporting	From FM 1633 to upper end of segment	3			

Freshv	water Stream	Brazos Riv	ver Basin Total siz	æ:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water S	Supply Use (continued)						
2002	Overall Public Water Supply Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Public Water Supply Use	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Public Water Supply Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			
Overall Use Su	upport						
2002		Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002		Fully Supporting	From FM 1633 to upper end of segment	3			
2002		Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002		Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2002		Fully Supporting	Lower 7 miles of segment to FM 1245	7			
Nutrient Enric	chment Concern						
2002	Ammonia Nitrogen	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Ammonia Nitrogen	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Ammonia Nitrogen	Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	4	
2002	Ammonia Nitrogen	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	1	
2002	Ammonia Nitrogen	Not Assessed	Lower 7 miles of segment to FM 1245	7	4	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Nitrite + Nitrate Nitrogen	Not Assessed	From FM 1633 to upper end of segment	3	9	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Nitrite + Nitrate Nitrogen	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	Lower 7 miles of segment to FM 1245	7	43	0	
2002	Orthophosphorus	No Concern	From FM 1245 to Springfield Lake Dam	5	24	0	

Segment ID: 1253 **Water body name:** Navasota River Below Lake Mexia

Freshv	water Stream	Brazos Riv	ver Basin Total siz	ze:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Nutrient Enric	chment Concern (continued)						
2002	Orthophosphorus	Not Assessed	From FM 1633 to upper end of segment	3	9	0	
2002	Orthophosphorus	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Orthophosphorus	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Orthophosphorus	No Concern	Lower 7 miles of segment to FM 1245	7	43	3	
2002	Total Phosphorus	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Total Phosphorus	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Total Phosphorus	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Total Phosphorus	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Total Phosphorus	Not Assessed	Lower 7 miles of segment to FM 1245	7	4	0	
2002	Overall Nutrient Enrichment Concerns	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Nutrient Enrichment Concerns	Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Nutrient Enrichment Concerns	No Concern	Lower 7 miles of segment to FM 1245	7			
Algal Growth	Concern	•		·			
2002	Chlorophyll a	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Chlorophyll a	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Chlorophyll a	Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	7	
2002	Chlorophyll a	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	5	

Freshy	water Stream	Brazos Riv	ver Basin Total si	ze:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mea
lgal Growth	Concern (continued)						
2002	Chlorophyll a	Not Assessed	Lower 7 miles of segment to FM 1245	7	4	2	
diment Con	taminants Concern						
2002	Overall Sediment Contaminant Concerns	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Lower 7 miles of segment to FM 1245	7			
sh Tissue Co	ontaminants Concern			•			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Lower 7 miles of segment to FM 1245	7			
ıblic Water S	Supply Concern	•		•	•		
2002	Finished Water: Chloride	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Chloride	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Chloride	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			

Freshv	vater Stream	Brazos Riv	ver Basin Total siz	e:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water S	Supply Concern (continued)						
2002	Finished Water: Chloride	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Chloride	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Sulfate	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Sulfate	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Sulfate	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Sulfate	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Sulfate	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Total Dissolved Solids	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Total Dissolved Solids	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Total Dissolved Solids	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Total Dissolved Solids	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Total Dissolved Solids	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: MTBE	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: MTBE	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: MTBE	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: MTBE	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: MTBE	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Perchlorate	Not Assessed	From FM 1245 to Springfield Lake Dam	5	-		
2002	Finished Water: Perchlorate	Not Assessed	From FM 1633 to upper end of segment	3			

Freshy	water Stream	Brazos Riv	ver Basin Total siz	ze:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water S	Supply Concern (continued)						
2002	Finished Water: Perchlorate	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Perchlorate	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Perchlorate	Not Assessed	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Overall	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Overall	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Overall	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Overall	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Overall	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Surface Water: Chloride	No Concern	From FM 1245 to Springfield Lake Dam	5	92		54.98
2002	Surface Water: Chloride	No Concern	From FM 1633 to upper end of segment	3	92		54.98
2002	Surface Water: Chloride	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	92		54.98
2002	Surface Water: Chloride	No Concern	From upper end of Springfield Lake to FM 1633	2	92		54.98
2002	Surface Water: Chloride	No Concern	Lower 7 miles of segment to FM 1245	7	92		54.98
2002	Surface Water: Sulfate	No Concern	From FM 1245 to Springfield Lake Dam	5	92		34.65
2002	Surface Water: Sulfate	No Concern	From FM 1633 to upper end of segment	3	92		34.65
2002	Surface Water: Sulfate	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	92		34.65
2002	Surface Water: Sulfate	No Concern	From upper end of Springfield Lake to FM 1633	2	92		34.65
2002	Surface Water: Sulfate	No Concern	Lower 7 miles of segment to FM 1245	7	92		34.65
2002	Surface Water: Total Dissolved Solids	No Concern	From FM 1245 to Springfield Lake Dam	5	101		327.8
2002	Surface Water: Total Dissolved Solids	No Concern	From FM 1633 to upper end of segment	3	101		327.8

Fresh	water Stream	Brazos Riv	ver Basin Total s	ize:	19	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mea
ıblic Water	Supply Concern (continued)						
2002	Surface Water: Total Dissolved Solids	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	101		327.
2002	Surface Water: Total Dissolved Solids	No Concern	From upper end of Springfield Lake to FM 1633	2	101		327.
2002	Surface Water: Total Dissolved Solids	No Concern	Lower 7 miles of segment to FM 1245	7	101		327.
2002	Surface Water: Overall	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Surface Water: Overall	No Concern	From FM 1633 to upper end of segment	3			
2002	Surface Water: Overall	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Surface Water: Overall	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Surface Water: Overall	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Overall Public Water Supply Concerns	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Public Water Supply Concerns	No Concern	From FM 1633 to upper end of segment	3			
2002	Overall Public Water Supply Concerns	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Public Water Supply Concerns	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Public Water Supply Concerns	No Concern	Lower 7 miles of segment to FM 1245	7			
arrative Cri	teria Concern						
2002	Overall Narrative Criteria Concerns	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Narrative Criteria Concerns	No Concern	From FM 1633 to upper end of segment	3			

Freshwater Stream		Brazos Riv	ver Basin Total si	Total size:		Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
arrative Crit	eria Concern (continued)						
2002	Overall Narrative Criteria Concerns	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Narrative Criteria Concerns	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Narrative Criteria Concerns	No Concern	Lower 7 miles of segment to FM 1245	7			
erall Second	dary Concern	<u> </u>					
2002		No Concern	From FM 1245 to Springfield Lake Dam	5			
2002		No Concern	From FM 1633 to upper end of segment	3			
2002		Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002		No Concern	From upper end of Springfield Lake to FM 1633	2			
2002		No Concern	Lower 7 miles of segment to FM 1245	7			